

Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product:	Biobarrier Root Control System
EPA Registration No.:	59823-1
Chemical Family:	Thermoplastic Polyolefin
Manufacturer Information:	Fiberweb, Inc 70 Old Hickory Blvd. Old Hickory, TN 37138
Company Contact:	Jim Reynolds
Telephone Number:	1-615-847-7501 (8AM-5PM M-F Central Time)
Emergency Phone Contact:	Chemtrec (24 Hours)
Emergency Phone Number:	1-800-424-9300

Section 2 - Hazards Identification



Irritant
Hazardous to the Aquatic Environment



Emergency Overview

Signs and symptoms of exposure: coughing or wheezing.

Route of Exposure-Skin

Irritant and may cause skin sensitization.

Route of Exposure-Eye

Irritant. Causes moderate eye irritation.

Route of Exposure -Ingestion

Harmful if swallowed

Route of Exposure-Inhalation

Harmful if inhaled

HMIS Ratings

Health: 1 Fire: 1 Reactivity: 0 Personal Protection: A
Hazard Scale: 0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe
*=Chronic Hazard

Section 3 - Composition

CAS#	Component	Percent
9003-07-0	Polypropylene*	>20%
9002-88-4	Polyethylene	<45%
1582-09-8	Trifluralin	<20%
1333-86-4	Carbon Black	<15%

*Contains Pigment Masterbatch: <1%; UV Stabilizer: <3%

Section 4 - First Aid Measures

First Aid-Skin

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

First Aid-Eye

Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.

First Aid-Ingestion

Call a poison control center or doctor immediately for treatment advice. Sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

First Aid-Inhalation

Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for treatment advice.

First Aid-Notes to Physician

No health conditions aggravated by exposure are identified. Contact the poison control center if any problem occurs.

Section 5 - Fire Fighting Measures

Flash Point: Not Applicable

Method Used: Not Applicable

Auto Ignition: Not Applicable

Flammability Classification: Not Applicable

Lower Explosive Limit (%): Not Applicable

Upper Explosive Limit (%): Not Applicable

General Fire Hazards

Solid material may burn upon extended exposure to open flames.

Hazardous Combustion Products

Upon decomposition this product may emit carbon dioxide, carbon monoxide and/or low molecular weight hydrocarbons.

Extinguishing Media

Water spray, foam, carbon dioxide, or dry chemical

Fire Fighting Equipment/Instructions

As in any fire, wear a self-contained breathing apparatus and full protective gear.

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Section 6 - Accidental Release Measures

Containment Procedures

Sweep waste fabric into a pile.

Clean -Up Procedures

Sweep waste fabric into a waste container and recycle, incinerate or landfill in conformity with local disposal regulations.

Evacuation Procedures

Not Applicable

Special Procedures

None

Section 7 - Handling and Storage

Handling Procedures

Avoid exposure to heat, sparks or open flames.

Use care in stacking and storing to avoid damage to product.

Storage Procedures

Store material away from direct sunlight in a cool (below 60°C), dry warehouse that is equipped with a sprinkler system.

Ensure product is not stacked too high.

To prevent water damage, store product off the floor.

Avoid direct exposure to UV light.

Avoid exposure to corrosive substances.

Limit exposure to petroleum powered engine exhaust.

Section 8 - Exposure Controls/Personal Protection

Component Exposure Limits

Component	CAS#	Exposure Limits
Polypropylene	9003-07-0	ACGIH TLV-TWA: None Available OSHA PEL: None Available
Polyethylene	9002-88-4	ACGIH TLV-TWA: None Available OSHA PEL: None Available
Trifluralin	1582-09-8	ACGIH TLV-TWA: None Available OSHA PEL: None Available
Carbon Black	1333-86-4	ACGIH TLV-TWA: 3.5mg/m ³ Total/Nuisance Dust OSHA PEL: 3.5mg/m ³ Total Dust

Engineering Controls

Normal room ventilation is usually adequate.

Personal Protective Equipment

Personal Protective Equipment-Eyes/Face

None usually required

Personal Protective Equipment-Skin

Wear long sleeved shirt, long pants, shoes, socks and chemical resistant gloves such as or made of any waterproof material.

Personal Protective Equipment-Respiratory

None usually required

Personal Protective Equipment-General

Follow individual plant safety rules.

Section 9 - Physical & Chemical Properties

Appearance:	Yellow-Green Fabric with Black Nodules		
Physical State:	Solid	Odor:	Aromatic (Solvent)
Vapor Pressure*:	13.7 mPa @ 25°C	pH:	Not Applicable
Boiling Point:	Not Applicable	Evaporation Rate:	Not Applicable
Solubility (H₂O)*:	0.2ppm @25°C	Melting Point*:	>48.5°C
Vapor Density:	Not Applicable	Specific Gravity:	Not Applicable
Packing Density:	Not Applicable	Percent Volatiles:	NIL

*Based on Trifluralin (CAS# 1582-09-8)

Section 10 - Chemical Stability & Reactivity Information

Chemical Stability

Under ordinary conditions of use and storage the product is stable.

Conditions to Avoid

Combustible when exposed to open flames. Avoid chlorine, fluorine, and other strong oxidizers.

Incompatibility

None Known

Hazardous Decomposition

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbon may be emitted upon decomposition.

Hazardous Polymerization

Will not occur

Section 11 - Toxicological Information

Acute and Chronic Toxicity

General Product Information

No additional information.

Component Analysis

Component	CAS#	LD ₅₀ /LC ₅₀
Polypropylene	9003-07-0	No information available
Polyethylene	9002-88-4	No information available
Trifluralin	1582-09-8	Rat: LD ₅₀ : Route: Acute Oral Toxicity: >4000 mg/kg Rabbit: LD ₅₀ : Route: Acute Dermal Toxicity: >2000 mg/kg Rat: LD ₅₀ : Route: Acute Inhalation Toxicity: LC ₅₀ (rat): >4.65 mg/L (4 hours) Skin Irritation: Mildly irritating (rabbit) Eye Irritation: Mildly irritation (rabbit) Sensitization: Mild sensitizer (guinea-pig)
Carbon Black	1333-86-4	No information available

Carcinogenicity

General Product Information

Carbon black has been evaluated by IARC as possibly carcinogenic to humans (Group 2B). NIOSH recommends that only carbon black with PAH>.1% be suspected carcinogens. The ACGIH classifies carbon black as A4, Not Classifiable as Human Carcinogen.

Epidemiology

No information available.

Neurotoxicity

No information available.

Mutagenicity

No information available.

Teratogenicity

No information available.

Other Toxicological Information

Specific toxicity testing has not been performed on this product. Hazard evaluation is based on information from similar products, raw material data, and technical literature.

Section 12 - Ecological Information

Ecotoxicity

General product Information

Trifluralin (CAS # 1582-09-8) is very toxic to aquatic organisms, and may cause long-term adverse effects in the aquatic environment.

Environmental Fate

Trifluralin (CAS # 1582-09-8) has low mobility in soil and can be absorbed in soils with high organic content. Trifluralin (CAS # 1582-09-8) is moderately persistent in soil with a half-life time of approximately 45 days. Degradation is primarily via microorganisms.

Section 13 - Disposal Considerations

US EPA Waste Number & Descriptions

General Product Information

None identified.

Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components

Disposal Instructions

Trifluralin (CAS # 1582-09-8) should be disposed of in a pesticide approved landfill or in a chemical incinerator equipped with scrubbers, in accordance with federal, state and local requirements. Processing, use or contamination of this product may change the waste management options.

Section 14 - Transportation Information

Transportation Regulations

Product is not regulated for transportation.

Section 15 - Regulatory Information

US Federal Regulations

General Product Information

No additional information.

Component Analysis-Federal

Component	CAS#	SARA 302 (40CFR355 APPX A)	SARA 313 (40CFR372.65)	CERCLA (40CFR302.4)
Polypropylene	9003-07-0	No	No	No
Polyethylene	9002-88-4	No	No	No
Trifluralin	1582-09-8	No	Yes	Yes
Carbon Black	1333-86-4	No	No	No

UK= Unknown

State Regulations

General Product Information

Other state regulations may apply. Check individual state requirements.

Component Analysis-State

The following components appear on one or more of the following state hazardous substances list:

Component	CAS#	CA Prop 65	FL	MA	MN	NJ	PA
Polypropylene	9003-07-0	Yes*	No	No	No	No	No
Polyethylene	9002-88-4	No	No	No	No	No	No
Trifluralin	1582-09-8	No	Yes	Yes	No	Yes	Yes
Carbon Black	1333-86-4	Yes*	No	Yes	Yes	Yes	Yes

*Based on Carbon Black (CAS # 1333-86-4) airborne, unbound particles of respirable size. However, the Carbon Black (CAS # 1333-86-4) used in this product is not expected to have airborne, unbound respirable particles.

UK= Unknown

Component Analysis-WHMIS IDL

The following components are knowingly identified under the Canadian Hazardous Products Act Ingredient Disclosure List.

Component	CAS#	Minimum Concentration
Carbon Black	1333-86-4	1%

Additional Regulatory Information

Component Analysis-Inventory

Component	CAS#	TSCA	DSL/NDSL	EINECS
Polypropylene	9003-07-0	Yes	Yes	Yes (6-402)
Polyethylene	9002-88-4	Yes	Yes	Yes
Trifluralin	1582-09-8	Yes	Yes	Yes
Carbon Black	1333-86-4	Yes	Yes	Yes

Section 16 - Other Information

Other Information

Material for this SDS was taken from SDSs for raw materials.

SDS History

Updated information and changed name 12/5/06; Updated formatting 06/21/07; Change contact name 8/13/07; Updated contact information and date 2/09/09; Updated information 9/8/10; Updated formulation 11/15/10; Updated Component Analysis – State in Section 15 on 8/3/11; Updated information to GHS compliant 6-7-13.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.

This information and the product are furnished on the condition that the person receiving them shall make his or her own determination as to the suitability of the product for his particular purpose and on the condition that they assume the risk of his use thereof.

REVIEWED BY: Dustin Darnall



Bowman
Construction
Supply Inc.



Quick
Supply Co.



Cascade
GEOSYNTHETICS

LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS