




INTRODUCING

# STORM™ NO COMPACTION

## JOINTING COMPOUND FOR PAVERS

STORM™ jointing compound installs easily in a wide range of weather conditions, minimizing delays with completing any hardscape installation.

- Air-curing
- Multi-weather: Use in wet and dry weather conditions
- Permeable jointing compound
- Inhibits weed growth
- Ready-to-use, no mixing required
- Leftovers can be stored temporarily and reused



Colors: 40100613

Black

40105084

Granite

141000028

Ivory

40105082

Tan

Packaging: 40 lb (bucket) (50 buckets per pallet)

No more waiting for rain showers to clear; STORM™ jointing compound installs over wet pavers with continuous water exposure. Formulated for residential projects such as walkways, pool decks, patios and non-vehicular areas.



# DIRECTIONS FOR USE:

## 3 EASY STEPS

- 1- Pre-soak the entire surface first, including the surrounding areas.
- 2- Open the container, cut the vacuum-sealed bag open and pour content onto the surface.
- 3- Start adding water with your sprayer set to Shower mode. Using the broom (or squeegee), spread product over the surface.



Necessary Tools



## TIPS

- Use water to move jointing compound into the joints. Keep product wet at all time to prevent premature curing.
- STORM™ can not be overwatered. Large quantities of water should be used throughout the entire process (before-during-after).
- The application is easier to accomplish by a two-employee team.
- Using a masonry jointing tool, smooth down the STORM™ joints to insure a uniform finish.



## CLEANING

- Once joints are filled, remove excess product and continue rinsing the area thoroughly while brushing.
- For final cleaning, use a different, clean broom to avoid streaks on the surface.
- Excess product can be salvaged and kept into its original container for later use. Product should be usable for several weeks.
- To prevent the product from curing, leftovers must be completely immersed in water (approx. 2"). If the product has begun curing, do not put it back into the container. Do not attempt to reseal the bag as it will not be airtight. Close back container tightly.



## INSTALLATION TIPS:

- Despite STORM™ being a product that does not require compaction in most circumstances, it is critical that joints are filled completely. For very narrow joints and/or with thick pavers, mechanical compaction using a Plate Compactor or Paver Roller will help ensure that the joints are full.



**Bowman**  
Construction  
Supply Inc.



**Quick**  
Supply Co.



**Cascade**  
GEOSYNTHETICS

## LOCATIONS & CONTACT INFO

### ASP ENTERPRISES

aspent.com  
salesasp@aspent.com

### BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com  
salesbcs@bowmanconstructionsupply.com

### QUICK SUPPLY CO.

quicksupplyco.com  
salesquick@quicksupplyco.com

### CASCADE GEOSYNTHETICS

cascadegeos.com  
salescascade@cascadegeos.com

**St. Louis, MO** 636.343.4357  
**Omaha, NE** 402.861.8579  
**Kansas City, MO** 816.554.1191  
**Wichita, KS** 316.393.1554

**Denver, CO** 303.696.8960  
**Colorado Springs, CO** 719.257.7840  
**Loveland, CO** 970.535.0863

**Des Moines, IA**  
515.289.1271

**Portland, OR**  
971.339.1020

## SOLUTIONS WE SUPPLY

### GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

### SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

### EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

### STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

### SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

**GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT**  
**SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS**