

TRU-SCAPES®

PRODUCT GUIDE







TRU-SCAPES® COLOR CONTROL



Tru-Scapes® now offers a range of fixtures that come ready with Color Control, giving you app-based Bluetooth access to RGBCW color, warm-to-cool white tuning, dimming, and zone control. Most other Tru-Scapes® fixtures can easily be upgraded with our Color Control lamps - so you can enjoy full control without replacing your existing lights.





PATH LIGHTS

For Walkways, Flower Beds, Garden Edges & Driveways



TS-B301

Traditional Path Light

Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: G4 LED lamp
- 3 watts
- 190 lumens
- 2700K warm output
- 360° beam spread
- H 24" x W 1-1/2" x D 1-1/2"
- Available in black & bronze

TS-B302

Classic Path Light

Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: G4 LED lamp
- 3 watts
- 158 lumens
- 2700K warm output
- 360° beam spread
- H 24" x W 7-7/8" x D 7-7/8"
- Available in black & bronze

TS-B306

Modern Path Light

Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: G4 LED lamp
- 3 watts
- 96 lumens
- 2700K warm output
- 360° beam spread
- H 21-3/4" x W 1" x D 6-1/2"
- Available in black & bronze

TS-A6500C

Adjustable Angle Landscape Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Light source: replaceable module
- 2 watts
- 68 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 8-1/2" x W 7-1/8" x D 1-1/2"
- Available in black or bronze

ACCENT LIGHTS

For Trees, Facades, Garden Features & Architectural Highlights



TS-B102

Traditional Accent Light

Includes a ground stake. Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: MR16 LED lamp
- 4 watts
- 382 lumens
- 2700K warm output
- 40° beam spread
- H 6-5/8" x W 2-3/8" x D 2-3/8"
- Available in black & bronze

TS-B105

Wall Wash Light

Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: MR16 LED lamp
- 5 watts
- 383 lumens
- 2700K warm output
- 60° beam spread
- H 5" x W 4-3/8" x D 4-3/8"
- Available in black & bronze

TS-B106

High Power Accent Light

Color-changing lamp upgrade available.

- Construction: solid brass
- Light Source: PAR36 LED lamp
- 8 watts
- 435 lumens
- 2700K warm output
- 120° beam spread
- H 5-3/8" x W 4-5/8" x D 4-5/8"
- Available in black & bronze





WELL LIGHTS

For Uplighting Trees, Walls, Architectural Features & Landscapes



TS-B201

High Power In-Ground Well Light

Color-changing lamp upgrade available.

- Construction: PVC & solid brass
- Light source: PAR36 LED lamp
- 8 watts
- 560 lumens
- 2700K warm output
- 120° beam spread
- H 9-5/8" x W 5-1/2" x D 5-1/2"
- Available in black & bronze

TS-B203

In-Ground Well Light

Color-changing lamp upgrade available.

- Construction: PVC & solid brass
- Light source: MR16 LED lamp
- 4 watts
- 308 lumens
- 2700K warm output
- 60° beam spread
- H 6-7/8" x W 4" x D 4"
- Available in black & bronze





PAVER LIGHTS

For Patios, Walkways & Hardscape Edges



TS-HPL-6

Traditional 6" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 1.5 watts
- 26 lumens
- 2700K warm output
- 120° beam spread
- H 2-3/8" x W 3/4" x D 6"
- Available in black

TS-HPL-8


Traditional 8" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 1.8 watts
- 44 lumens
- 2700K warm output
- 120° beam spread
- H 2-3/8" x W 3/4" x D 8"
- Available in black

TS-HPL-9

Traditional 9" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 2.5 watts
- 52 lumens
- 2700K warm output
- 120° beam spread
- H 2-3/8" x W 3/4" x D 9"
- Available in black



TS-MHPL-6

Modern 6" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 1.5 watts
- 32 lumens
- 4000K cool output
- 120° beam spread
- H 6-5/8" x W 2-3/8" x D 2-3/8"
- Available in grey

TS-MHPL-8

Modern 8" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 1.8 watts
- 52 lumens
- 4000K cool output
- 120° beam spread
- H 5" x W 4-3/8" x D 4-3/8"
- Available in grey

TS-MPHL-9

Modern 9" Paver Light

- Construction: aluminum & acrylic
- Integrated LED light source
- 2.5 watts
- 62 lumens
- 4000K cool output
- 120° beam spread
- H 5-3/8" x W 4-5/8" x D 4-5/8"
- Available in grey



PILLAR LIGHTS

For Columns, Entranceways, Patios & Pillars



TS-PL100

Traditional Pillar Light

Color-changing lamp upgrade available.

- Construction: powder coated aluminum
- Light source: G4 LED lamp
- 3 watts
- 195 lumens
- 2700K warm output
- 360° beam spread
- H 20" x W 9" x D 9"
- Available in bronze

TS-PL101

Modern Pillar Light

Color-changing lamp upgrade available.

- Construction: powder coated aluminum
- Light source: G4 LED lamp
- 3 watts
- 180 lumens
- 2700K warm output
- 360° beam spread
- H 14-3/8" x W 7-1/2" x D 7-1/2"
- Available in black

TS-PL102

Noble Pillar Light

Ships color-changing ready.






- Construction: powder coated aluminum
- Light source: G4-C LED lamp
- 6 watts
- 184 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 19-7/8" x W 11" x D 11"
- Available in bronze





REPLACEABLE HARDSCAPE LIGHTS

For Retaining Walls, Step Caps, Outdoor Kitchens & Patios



TS-A3000C

Mini Color Changing Hardscape Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Light source: replaceable module
- 0.8 watts
- 18 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 7/8" x W 3-1/2" x D 3"
- Requires 1/2" tread overhang*
- Available in black or bronze

TS-A6000

Traditional Hardscape Light

Color-changing lamp upgrade available.

- Construction: powder coated aluminum
- Light source: replaceable module
- 1 watts
- 85 lumens
- 2700K warm output
- 120° beam spread
- H 3/4" x W 7-1/8" x D 3"
- Requires 1/2" tread overhang*
- Available in black or bronze

TS-A6000C

Color Changing Hardscape Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Light source: replaceable module
- 2 watts
- 68 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 3/4" x W 7-1/8" x D 3"
- Requires 1/2" tread overhang*
- Available in black or bronze

TS-MA6000

Modern Hardscape Light

Color-changing lamp upgrade available.


- Construction: powder coated aluminum
- Light source: replaceable module
- 1 watts
- 92 lumens
- 4000K cool output
- 120° beam spread
- H 3/4" x W 7-1/8" x D 3"
- Requires 1/2" tread overhang*
- Available in grey





DOT LIGHTS

For Pavers, Stone, Wood & Decking



TS-M15DOT-SS

Modern 1.5" Dot Light

Ships with 1.5" stainless steel flat ring. Dot rings are replaceable; integrated light source is not.

- Construction: PVC & stainless steel ring
- Integrated LED light source
- .25 watts
- 12 lumens
- 4000K cool output
- 60° beam spread
- H 1-5/8" x W 1-1/2" x D 1-1/2"

TS-M25DOT-SS

Modern 2.5" Dot Light

Ships with 2.5" stainless steel flat ring. Dot rings are replaceable; integrated light source is not.

- Construction: PVC & stainless steel ring
- Integrated LED light source
- 1.2 watts
- 105 lumens
- 4000K cool output
- 60° beam spread
- H 1-5/8" x W 2-1/2" x D 2-1/2"

TS-M25DOTC-SS

Modern Color Changing 2.5" Dot Light

Ships with 2.5" stainless steel flat ring. Ships color-changing ready.


- Construction: PVC & stainless steel ring
- Integrated LED light source
- 1.5 watts
- 60 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- H 1-5/8" x W 2-1/2" x D 2-1/2"

TS-D150/250-FLT

1.5" & 2.5" Flat Replacement Rings

Flat rings available in black, bronze, or stainless steel.

- Powder-coated aluminum (black & bronze options)
- Stainless steel option available only in flat rings
- Dimensions:
 - 150 Flat: H 1-1/2" x W 1-1/2" x D 1/3"
 - 250 Flat: H 2-1/2" x W 2-1/2" x D 1/3"
- Sold in packs of 10



TS-I15DOT-BRZ

Traditional 1.5" Dot Light

Ships with 1.5" bronze flat ring and 1.5" bronze eyebrow ring. Dot rings are replaceable; integrated light source is not.

- Construction: PVC & bronze powder coated aluminum ring
- Integrated LED light source
- .25 watts
- 10 lumens
- 2700K warm output
- 60° beam spread
- H 1-5/8" x W 1-1/2" x D 1-1/2"

TS-25DOT-BRZ

Traditional 2.5" Dot Light

Ships with 2.5" bronze flat ring and 2.5" bronze eyebrow ring. Dot rings are replaceable; integrated light source is not.

- Construction: PVC & bronze powder coated aluminum ring
- Integrated LED light source
- 1.2 watts
- 90 lumens
- 2700K warm output
- 60° beam spread
- H 1-5/8" x W 1-1/2" x D 1-1/2"

TS-25DOTC-BRZ

Traditional Color Changing 2.5" Dot Light

Ships with 2.5" bronze flat ring and 2.5" bronze eyebrow ring. Ships color-changing ready.

- Construction: PVC & bronze powder coated aluminum ring
- Integrated LED light source
- 1.5 watts
- 60 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- H 1-5/8" x W 2-1/2" x D 2-1/2"

TS-D150/250-EYE

1.5" & 2.5" Eyebrow Replacement Rings

Eyebrow rings available in black & bronze.

- Powder-coated aluminum (black & bronze options)
- Stainless steel option available only in flat rings
- Dimensions:
 - 150 Eye: H 1-1/2" x W 1-1/2" x D 3/4"
 - 250 Eye: H 2-1/2" x W 2-1/2" x D 3/4"
- Sold in packs of 10






DECK LIGHTING



POST CAP LIGHTS

For Deck & Fence Post Caps




TS-C125

2.5" LED Post Cap Light

Fits standard 2.5" aluminum posts.

- Construction: powder coated aluminum
- Integrated LED light source
- 2 watts
- 18 lumens
- 2700K warm output
- 360° beam spread
- H 1-7/8" x W 2-3/4" x D 2-3/4"
- Available in black




TS-C125C

2.5" Color Changing LED Post Cap Light

Fits standard 2.5" aluminum posts. Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 3 watts
- 22 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 1-7/8" x W 2-3/4" x D 2-3/4"
- Available in black




TS-C130

3" LED Post Cap Light

Fits standard 3" aluminum posts.

- Construction: powder coated aluminum
- Integrated LED light source
- 2 watts
- 30 lumens
- 2700K warm output
- 360° beam spread
- H 2-5/8" x W 3-3/8" x D 3-3/8"
- Available in black




TS-C140

4" LED Post Cap Light

Fits standard 4" vinyl (PVC) posts.

- Construction: PVC plastic
- Integrated LED light source
- 3 watts
- 32 lumens
- 2700K warm output
- 360° beam spread
- H 2-3/8" x W 6" x D 6"
- Available in white



TS-C140C

4" Color Changing LED Post Cap Light

Fits standard 4" vinyl (PVC) posts. Ships color-changing ready.

- Construction: PVC plastic
- Integrated LED light source
- 4 watts
- 32 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 2-3/8" x W 6" x D 6"
- Available in white



TS-C145

4.5" LED Post Cap Light

Fits a TREX® Transcend deck post.

- Construction: AES UV rated plastic
- Integrated LED light source
- 3 watts
- 27 lumens
- 2700K warm output
- 360° beam spread
- H 2-5/8" x W 6" x D 6"
- Available in black, brown, & white



TS-C145C

4.5" Color Changing LED Post Cap Light

Fits a TREX® Transcend deck post. Ships color-changing ready.

- Construction: AES UV rated plastic
- Integrated LED light source
- 4 watts
- 30 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 2-5/8" x W 6" x D 6"
- Available in black, brown, & white



TS-C150



5" LED Post Cap Light

Fits Timbertech® Radiance deck posts.

- Construction: AES UV rated plastic
- Integrated LED light source
- 3 watts
- 40 lumens
- 2700K warm output
- 360° beam spread
- H 2-7/8" x W 7-1/8" x D 7-1/8"
- Available in black, & white

STEP RISER LIGHTS

For Steps & Decks




TS-A501

3" LED Step Riser Light

Available in black, brown, & white finish.

- Construction: powder coated aluminum
- Integrated LED light source
- 0.5 watts
- 18 lumens
- 2700K warm output
- 180° beam spread
- H 5/8" x W 3" x D 1/2"
- Requires 1/2" tread overhang*




TS-A501C

3" Color Changing LED Step Riser Light

Available in black, brown, & white finish. Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 1 watts
- 16 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 180° beam spread
- H 5/8" x W 3" x D 1/2"
- Requires 1/2" tread overhang*




TS-A1001

6" LED Step Riser Light

Available in black, brown, & white finish.

- Construction: powder coated aluminum
- Integrated LED light source
- 1.5 watts
- 123 lumens
- 2700K warm output
- 180° beam spread
- H 5/8" x W 6" x D 1/2"
- Requires 1/2" tread overhang*



TS-A1001C

6" Color Changing LED Step Riser Light

Available in black, brown, & white finish. Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 2 watts
- 65 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 180° beam spread
- H 5/8" x W 6" x D 1/2"
- Requires 1/2" tread overhang*



SURFACE MOUNTED LIGHTS

For Steps & Deck Posts



TS-25WMA
Puck Light

- Construction: powder coated aluminum
- Integrated LED light source
- 2 watts
- 44 lumens
- 2700K warm output
- 180° beam spread
- H 2-1/2" x W 2-1/2" x D 3/4"
- Available in black, brown, & white

TS-40WMA
Wedge Light

- Ships color-changing ready.
- 
- Construction: powder coated aluminum
 - Integrated LED light source
 - 1.5 watts
 - 15 lumens - dimmable with app
 - 2700K - 6500K RGBCW BT control
 - 180° beam spread
 - H 4" x W 2" x D 1"
 - Available in black & white



TRU-POST® LIGHTS & ACCESSORIES

For Deck & Fence Post Caps



TP-WL101A
Tru-Post® Classic Light

- Color-changing lamp upgrade available.
- Construction: powder coated aluminum
 - Included G4 LED lamp
 - 3 watts
 - 126 lumens
 - 2700K warm output
 - 360° beam spread
 - H 5-1/4" x W 7-7/8" x D 7-7/8"
 - Available in black

TP-WL103A
Tru-Post® Traditional Light


- Color-changing lamp upgrade available.
- Construction: powder coated aluminum
 - Included G4 LED lamp
 - 3 watts
 - 184 lumens
 - 2700K warm output
 - 360° beam spread
 - H 8" x W 6" x D 6"
 - Available in black

TP-OL12SS
Tru-Post® Stainless Steel Torch

- Construction: powder coated aluminum & weather-resistant stainless steel
- Power source: N/A
- Watts N/A
- Lumens N/A
- H 18" x W 4-1/2" x D 4-1/2"
- Available in stainless steel

TP-ST100
Tru-Post® Solar Torch

- Construction: powder coated aluminum
- Power Source: N/A
- Watts N/A
- 37 lumens
- 1800K warm output
- 360° beam spread
- H 25" x W 5" x D 5"
- Available in black



TP-WL101A
Tru-Post® Planter Basket

- Construction: powder coated aluminum
- Basket material: coco liner
- Stem size: 2"
- H 8" x W 12" x D 12"
- Available in black

TP-C20/25/4
Tru-Post® Post Caps

- From left to right
- TP-C20-BLK: 2" x 2" black aluminum cap
- TP-C25-BLK: 2.5" x 2.5" black aluminum cap
- TP-C4-WHT: 4" x 4" white vinyl cap

TP-C45-XXX
Tru-Post® Post Caps Continued

- From left to right
- 4.5" x 4.5" black Vinyl Cap
- 4.5" x 4.5" white Vinyl Cap
- 4.5" x 4.5" brown Vinyl Cap
- All 4.5" vinyl caps are designed to fit Trex Transcend railing post

TP-UMA-BLK
Tru-Post® Universal Mount

- Construction: black powder coated aluminum
- Threaded for Tru-Post® accessories
- Compatible only with planter baskets and torches



WALL & POST SCONCE LIGHTS

For Exterior Walls, Deck Posts & Outdoor Structures




TSS-AS200

Low Profile Post / Wall Sconce

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 3 watts
- 50 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- H 4" x W 2" x D 7/8"
- Available in black, bronze, & white



TSS-AS201

Dual Lamp Sconce

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 12 watts
- 802 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- H 5-3/8" x W 2" x D 3-1/4"
- Available in black & bronze



TSS-AS202

Single Lamp Sconce

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 6 watts
- 456 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- H 3-1/4" x W 2" x D 3-1/4"
- Available in black & bronze



TSS-AS300

Modern Sconce

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 6 watts
- 300 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 12" x W 6-3/8" x D 7-5/8"
- Available in black & bronze

CEILING, PENDANT & BISTRO LIGHTS

For Pergolas, Patios & Outdoor Entertaining Spaces



TSS-AC100

Recessed Ceiling & Soffit Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 8 watts
- 392 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- 4" diameter x 1-3/8" height
- Available in black & white



TSS-AP100

Ceiling & Soffit Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 8 watts
- 392 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- 4" diameter x 1-3/8" height
- Available in black, bronze, & white




TSS-AP400

Traditional Pendant Light

Ships color-changing ready.

- Construction: powder coated aluminum
- Integrated LED light source
- 2.5 watts
- 68 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 5-3/4" x W 2-3/8" x D 2-3/8"
- Available in black & bronze



TSS-SL100

Hanging Bistro Lights

Connect 12' lengths together
Comes with 6 lamps per line

- Edison Style LED lamps
- Low voltage light source
- 1 watt per lamp, 2700K
- 12' strip lights w/ 6pcs, 6 watt
- 90 lumens per lamp
- 10-15v AC/DC
- H 6" x W 12'
- TSS-GC1—adapter included





CONCRETE LIGHTS

For Concrete Driveways, Patios, Walls & Steps (Patent Pending)



TSC-150

Concrete 1.5" Dot Light

Ships with 1.5" black flat ring and 1.5" black eyebrow ring. Dot rings are replaceable; integrated light source is not.

- Construction: PVC & black powder coated aluminum ring
- Integrated LED light source
- 0.25 watts
- 10 lumens
- 2700K warm output
- 60° beam spread
- Black eyebrow and flat caps

TSC-250C

Concrete 2.5" Dot Light

Ships with 2.5" black flat ring and 2.5" black eyebrow ring. Ships color-changing ready.

- Construction: PVC & black powder coated aluminum ring
- Integrated LED light source
- 1.5 watts
- 60 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 60° beam spread
- Black eyebrow and flat caps

TSC-600C

Concrete 6" Step Light

Ships color-changing ready.

- Construction: Powder-coated aluminum
- Integrated LED light source
- 1.5 watts
- 8 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- Available in black

INSTALLATION SERIES

Step-by-Step Setup for All Concrete Lights

Scan the QR code above to watch the full animated installation guide for Tru-Scapes® concrete lights, featuring the TSC-150, TSC-250C, and TSC-600C.

This three-part video series provides clear instructions on:

- Mount flange installation
- Wiring and final assembly
- Best practices for a clean, professional finish





TRANSFORMERS

For Reliable, Low-Voltage Power Distribution In Outdoor Lighting Systems



TS-TBPT-100

100W Transformer

Single-zone 100W transformer with built-in timer

- Construction: black UV rated plastic
- Input voltage: 120V AC
- Output voltage: 12V/15V AC
- Timer/photocell compatibility
- Cord length: 6 ft
- H 6-1/2" x W 4-1/2" x D 3-1/2"
- Wall-mountable

TS-TSSA-200

200W Transformer

Single-zone 200W astronomical transformer with built-in timer

- Construction: stainless steel
- Input voltage: 120V AC
- Output voltage: 12V/15V AC
- Astrological timer (single zone)
- Timer/photocell compatibility
- Cord length: 6 ft
- H 8" x W 5-1/2" x D 4-1/2"
- Wall-mountable

TS-TSSW-400

400W Wifi Transformer

Dual-zone 400W WiFi transformer with app control

- Construction: stainless steel
- Input voltage: 120V AC
- Output voltage: 12V/15V AC
- Dual independent zones
- WiFi timer compatibility
- Cord length: 6 ft
- H 11-1/2" x W 7" x D 6"
- Wall-mountable





ACCESSORIES & REPLACEMENTS



REPLACEMENT LAMPS

For Swapping Out Light Sources In Compatible Fixtures



TS-360G4-1

G4 LED Lamp

- Installation: drop-in replacement
- Compatibility: G4 bi-pin fixtures
- 3 watts
- 380 lumens
- 2700K warm output
- 360° beam spread
- H 1-3/8" x W 5/8" x D 5/8"



TS-360G4-C

G4 LED Color Changing Lamp


- Installation: drop-in replacement
- Compatibility: G4 bi-pin fixtures
- 1.5 watts
- 110 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 360° beam spread
- H 1-3/8" x W 5/8" x D 5/8"



TS-120PAR36

PAR36 LED Lamp

- Installation: drop-in replacement
- Compatibility: slip-on spade connectors
- 8 watts
- 850 lumens
- 2700K warm output
- 120° beam spread
- H 2-3/8" x W 4-3/8" x D 4-3/8"



TS-120PAR36-C

PAR36 LED Color Changing Lamp

- Installation: drop-in replacement
- Compatibility: slip-on spade connectors
- 8 watts
- 640 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 2-3/8" x W 4-3/8" x D 4-3/8"



TS-40MR16-4W

MR16 4W Lamp

- Installation: drop-in replacement
- Compatibility: GU5.3 bi-pin fixtures
- 4 watts
- 400 lumens
- 2700K warm output
- 40° beam spread
- H 1-3/4" x W 2" x D 2"



TS-60MR16-5.5W

MR16 5.5W Lamp

- Installation: drop-in replacement
- Compatibility: GU5.3 bi-pin fixtures
- 5.5 watts
- 480 lumens
- 2700K warm output
- 60° beam spread
- H 1-3/4" x W 2" x D 2"



TS-40MR16-C

MR16 Color Changing Lamp

- Installation: drop-in replacement
- Compatibility: GU5.3 bi-pin fixtures
- 8 watts
- 420 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 40° beam spread
- H 1-7/8" x W 2" x D 2"



REPLACEMENT LIGHT MODULES

For Restoring Or Upgrading Internal Fixture Components



TS-A3000C-RLAMP

A3000C Replacement Color Changing Module

- Installation: screw-in module
- Compatibility: A3000 Series
- .8 watts
- 18 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 3/4" x W 3-3/8" x D 3/4"



TS-A6000-RLAMP

A6000 Replacement Module

- Installation: screw-in module
- Compatibility: A6000 Series
- 1 watts
- 85 lumens
- 2700K warm output
- 120° beam spread
- H 5/8" x W 6-7/8" x D 3/4"
- A6000 lamps compatible with all A6000/6500 fixtures - mix & match



TS-A6000C-RLAMP

A6000C & A6500C Replacement Color Changing Module

- Installation: screw-in module
- Compatibility: A6000 Series
- 2 watts
- 68 lumens - dimmable with app
- 2700K - 6500K RGBCW BT control
- 120° beam spread
- H 5/8" x W 6-7/8" x D 3/4"
- A6000 lamps compatible with all A6000/6500 fixtures - mix & match



TS-MA6000-RLAMP

MA6000 Replacement Module

- Installation: screw-in module
- Compatibility: A6000 Series
- 1 watts
- 92 lumens
- 4000K cold output
- 120° beam spread
- H 5/8" x W 6-7/8" x D 3/4"
- A6000 lamps compatible with all A6000/6500 fixtures - mix & match



ACCESSORIES & REPLACEMENTS



SMART CONTROL

For Extended Bluetooth Connectivity & Seamless Lighting Control



TS-EXT001-BLK

Bluetooth Range Extender

- Construction: UV Rated Plastic
- RGBCW Bluetooth Control Extender
- Lead Wire: 36" connectors
- Includes a ground stake
- H 23" x W 1-1/2" x D 1-1/2"



MOUNTING & EXTENSION HARDWARE

For Flexible Fixture Positioning & Secure Installs



TS-UM12B

Base Mount

- Construction: solid brass
- Mounts to: Walls, trees, or other flat surfaces
- H 1/2" x W 3" x D 3"
- Available in black & bronze

TS-STEM16

Extension / Replacement Stem

- Construction: solid brass
- Raises path/accent lights for flexible installs
- H 16" x W 1" x D 1"
- Available in black & bronze



WIRING & CONNECTION TOOLS

For Clean, Professional Installation



TS-122G250-EZ

250' 12/2 EZ Pull Wire

- 12/2 low voltage landscape lighting wire
- Copper-coated aluminum construction
- EZ Pull carton for easy dispensing
- Rated for direct burial installations

TS-WNUT50

Gel-Filled Wire Nuts (50 pcs.)

- Keeps connections & daisy-chain runs secure and moisture-free
- Pre-filled with silicone gel for waterproof protection
- Includes 50 wire nuts per pack
- Ideal for low-voltage outdoor lighting connections

TS-WS1

Wire Strippers

- For precision cutting & stripping 10-20 AWG solid or stranded copper wire
- Compatible sizes:
 - Metric: 0.8, 1.0, 1.3, 1.6, 2.0, 2.6 mm
 - AWG: 20, 18, 16, 14, 12, 10 AWG
- H 7-1/2" x W 2" x D 1/2"





ACCESSORIES & REPLACEMENTS



REPLACEMENT TRIM RINGS

For Restoring Finish To Dot Lights



TS-DOT150-FLAT

Flat Replacement Rings (1.5")

- Designed for 1.5" Tru-Scapes® dot lights
- Sold in packs of 10 rings
- Available finishes: black, bronze and stainless steel
- Flat ring style for seamless replacement



TS-DOT150-EYE

Eye brow Replacement Rings (1.5")


- Designed for 1.5" Tru-Scapes® dot lights
- Sold in packs of 10 rings
- Eye brow design for directional light output
- Available finishes: black or bronze



TS-DOT250-FLAT

Flat Replacement Rings (2.5")

- Designed for 2.5" Tru-Scapes® dot lights
- Sold in packs of 10 rings
- Flat ring style for a clean, uniform look
- Available finishes: black, bronze, stainless steel



TS-DOT250-EYE

Eye brow Replacement Rings (2.5")

- Designed for 2.5" Tru-Scapes® dot lights
- Sold in packs of 10 rings
- Eye brow design for directional light output
- Available finishes: black or bronze



SCAN FOR HELP, SETUP & SUPPORT



YOUR COMPLETE OUTDOOR LIGHTING SOLUTION

www.Tru-Scapes.com | [@TruScapes](https://twitter.com/TruScapes) | support@tru-scapes.com



Tru-Scapes® Website

Visit Our Official Website

- Explore all of our products
- Find local dealers and installers
- Learn more about Tru-Scapes® solutions



Resources & Guides

Browse Videos, Catalogs, & More

- Access step-by-step instructional guides
- Download installation instructions
- Watch how-to and install videos



Warranty Info

Review Our 5-Year Warranty Details

- Coverage on fixtures, bulbs, & transformers
- Terms for construction & finishes
- What's included & what's not



Color Control Help

Step-by-Step App Setup & Control Guide

- Download the Tru-Scapes® Control App
- Pairing & light control
- Troubleshooting issues





Bowman
Construction
Supply Inc.



Quick
Supply Co.



Cascade
GEOSYNTHETICS

LOCATIONS & CONTACT INFO

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

St. Louis, MO 636.343.4357
Omaha, NE 402.861.8579
Kansas City, MO 816.554.1191
Wichita, KS 316.393.1554

Denver, CO 303.696.8960
Colorado Springs, CO 719.257.7840
Loveland, CO 970.535.0863

Des Moines, IA
515.289.1271

Portland, OR
971.339.1020

SOLUTIONS WE SUPPLY

GEOSYNTHETICS

Filter Fabrics

Stabilization Fabrics

Geogrids

- Road Grids
- Wall Grids
- Slope Stabilization

Specialty Fabrics

Composite Geomembranes

- GCLs, PVC, HDPE, LLDPE, EPDM, Granular Bentonite

SEDIMENT CONTROL

Inlet Protection

- Grated Inlet, Curb Inlet, Area Inlet Protection

Ditch Checks

- Triangle Silt Dike
- GeoRidge

Perimeter Protection

- High and Low-Porosity Silt Fence, Straw Wattles, Silt Socks
- Safety Fence

Flocculants & Water Treatment

- Polymer-Based & Natural Flocculants

Sediment Basin Skimmers

Dewatering Bags

Trackout Control

- FODS
- Rumble Grates

Turbidity Curtains

EROSION CONTROL

Basic Hydraulically Applied Mulches

- Wood
- Paper
- Blends
- Straw

High-Performance Hydraulically

Applied Products

- BFM
- FGM
- Additives & Tackifiers

Temporary Erosion Control Blankets

- Coir & Jute Mat/Nettings
- Short-Term ECBs
- Extended-Term ECBs

Permanent Erosion Control Blankets

- Turf Reinforcement Mats
- HP-TRMs
- Anchor Reinforced Vegetation System

Structural BMPs

- Transition Mats
- Geoweb Cellular Confinement
- Composite Vegetated Armor System
- Flex MSE Vegetated Wall System
- Articulated Concrete Block
- Gabions
- Grout-Filled Geotextile Mats

Vegetation Establishment

- Native Seed & Turf Seed
- Fertilizers
- Organic Soil Additives
- Stratavault Soil Cells

STORMWATER MANAGEMENT

Water Quality

- Inlet Filter Boxes
- Pre-Treatment Chamber
- Nutrient Separating Baffle Boxes
- High-Flow Biofiltration Media
- Hydrodynamic Separators
- Stratavault

Water Quantity

- Modular Underground Storage Systems
- Chamber Detention Systems

Drainage

- HDPE Swale Liner
- Pipe & Fittings
- Drainage Composites
- Strip Drain

Inlet Structures

- PVC
- Drain Basins, In-Line Drains
- Landscape

Permeable Pavers

- Permeable Articulating Concrete Block
- Grass Pavers
- Gravel Pavers
- Concrete Pavers

SPECIALTY

Natural & Synthetic Coir Fiber Logs

Vegetated Reinforced Soil Slopes

Soil Anchors

Root Barrier System

AquaBlok

Muscle Wall

We are full line distributors of construction materials for all project types. Contact us for assistance with a project. From specification and development to installation and completion, we're here to help with all of your site solution needs.

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
SEDIMENT CONTROL | REVEGETATION & SOIL AMENDMENTS