

SUPPORT STRUT



VIEW A-A



NOTES:

1. FACING TO CONSIST OF PREFABRICATED WWF 4" x 4" - W4.0 x W4.0 FORMS.
2. ALL FORMS AND STRUTS WILL BE FABRICATED WITH BLACK WIRE.
3. OVERALL LENGTH OF WIRE FORMS IS 10'-0". EFFECTIVE CONSTRUCTED WIDTH IS 9'-8" WITH 4" OVERLAPPING AT ENDS.



WELDED WIRE FORM FACING UNIT

NOT TO SCALE



NOTES:

1. MAINTAIN 24" (MIN.) OF WIRE FORM ON EACH SIDE OF BEND.
2. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.

WELDED WIRE FORM OUTSIDE CORNER UNIT

NOT TO SCALE



NOTES:

1. MAINTAIN 24" (MIN.) OF WIRE FORM ON EACH SIDE OF BEND.
2. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.

WELDED WIRE FORM INSIDE CORNER UNIT

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ

DESIGNED BY: ----

CHECKED BY : R. JOHNSON

ENGINEER OF RECORD (MSE STRUCTURE ONLY):

---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN

SHEET 1 OF ----

Plotted on: June 11, 2020
K:\CAD\DETAILS\WWF\WWF STANDARD DETAILS.DWG



SUPPORT STRUT



VIEW A-A



NOTES:

1. FACING TO CONSIST OF PREFABRICATED WWF 4" x 4" - W4.0 x W4.0 FORMS.
2. WWF'S ARE MANUFACTURED OF ASTM A82 (AASHTO M32) STEEL WIRE AND ARE WELDED IN ACCORDANCE WITH ASTM A185 (AASHTO M55).
3. ALL FORMS SHALL BE HOT DIP GALVANIZED AFTER BENDING IN ACCORDANCE WITH ASTM A123 (AASHTO M111).
4. STRUTS ARE MANUFACTURED OF MEDIUM TEMPER PRE-GALVANIZED WIRE, IN ACCORDANCE WITH ASTM A641 OR ARE HOT-DIP GALVANIZED AFTER BENDING IN ACCORDANCE WITH ASTM A153 (AASHTO M232).
5. OVERALL LENGTH OF WIRE FORMS IS 10'-0". EFFECTIVE CONSTRUCTED WIDTH IS 9'-8" WITH 4" OVERLAPPING AT ENDS.



WELDED WIRE FORM FACING UNIT

NOT TO SCALE



NOTES:

1. MAINTAIN 24" (MIN.) OF WIRE FORM ON EACH SIDE OF BEND.
2. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.

WELDED WIRE FORM OUTSIDE CORNER UNIT

NOT TO SCALE



NOTES:

1. MAINTAIN 24" (MIN.) OF WIRE FORM ON EACH SIDE OF BEND.
2. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.

WELDED WIRE FORM INSIDE CORNER UNIT

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ

DESIGNED BY: ----

CHECKED BY : R. JOHNSON

ENGINEER OF RECORD (MSE STRUCTURE ONLY):

---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN

SHEET 2 OF ----

Plotted on: June 11, 2020
K:\CAD\DETAILS\WWF\WWF STANDARD DETAILS.DWG



CROSS-SECTION

NOTE:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.
2. OFFSET AS NEEDED TO ACHIEVE OVERALL BATTER AS SHOWN IN THE CROSS-SECTIONS.

TEMPORARY WELDED WIRE FORM FACING DETAIL (GEOTEXTILE WRAP)

NOT TO SCALE



CROSS-SECTION

NOTE:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.
2. OFFSET AS NEEDED TO ACHIEVE OVERALL BATTER AS SHOWN IN THE CROSS-SECTIONS.

PERMANENT WELDED WIRE FORM FACING DETAIL

NOT TO SCALE



CROSS-SECTION

NOTE:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.
2. OFFSET AS NEEDED TO ACHIEVE OVERALL BATTER AS SHOWN IN THE CROSS-SECTIONS.

TEMPORARY WELDED WIRE FORM FACING DETAIL (BX WRAP)

NOT TO SCALE



CROSS-SECTION

NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIAL AND DIMENSIONS.
2. ALL FACING UNITS SHALL BE FABRICATED FROM BLACK STEEL.
3. OFFSET VARIES (6" MIN.) AS NEEDED TO ACHIEVE OVERALL BATTER AS SHOWN IN THE CROSS-SECTIONS.
4. TOPSOIL SHALL BE LOAMY SAND OR FINER GRADATION WITH 10% - 15% ORGANIC CONTENT OR MATERIAL APPROVED BY A QUALIFIED LANDSCAPE ARCHITECT. HYDROSEEDING ON TOP OF EROSION CONTROL PRODUCT MAY RESULT IN POOR VEGETATION ESTABLISHMENT. VEGETATION TYPE SHALL BE SPECIFIED BY A QUALIFIED LANDSCAPE ARCHITECT.

WELDED WIRE FORM FACING DETAIL (PLANTABLE FACE FILL)

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ
DESIGNED BY: ----
CHECKED BY : R. JOHNSON
ENGINEER OF RECORD (MSE STRUCTURE ONLY):
---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN



ENLARGEMENT A

PLAN VIEW

NOTES:

1. EXTEND GEOGRID AND TRIM AT FACE OF STRUCTURE.
2. BEND AND EXTEND WELDED WIRE FACING UNIT BACK 2.0' (MIN.) ALONG FACE OF STRUCTURE. EXTEND GEOTEXTILE AND BIAXIAL GEOGRID 2.0' (MIN.) ALONG FACE OF STRUCTURE PAST THE WELDED WIRE FACE EXTENSION.
3. SUPPORT STRUTS AND BIAXIAL GEOGRID NOT SHOWN FOR CLARITY.

WELDED WIRE FORM WALL TRANSITION AT STRUCTURE

NOT TO SCALE



ELEVATION VIEW

SECTION A-A

NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. SEE ELEVATION VIEW FOR GEOGRID TYPE, LOCATION, AND DIMENSIONS.
3. TERMINATE GEOGRIDS NO MORE THAN 3" FROM PIPE.
4. CONTRACTOR RESPONSIBLE TO INSTALL PIPE WITH LEAK-PROOF JOINTS.

PIPE PENETRATION DETAIL AT WWF WALL FACE

NOT TO SCALE

HORIZONTAL PAVEMENT/OBSTRUCTION STRUCTURE



SUPERELEVATED PAVEMENT/OBSTRUCTION STRUCTURE

NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. CONTRACTOR IS RESPONSIBLE TO COORDINATE THE PLACEMENT OF THE GEOGRID TO AVOID CONFLICT WITH THE CONTRACT PAVEMENT/OBSTRUCTION SECTION. GEOGRID MUST BE SEPARATED FROM THE PAVEMENT/OBSTRUCTION SECTION BY A MINIMUM OF 3".

GEOGRID PLACEMENT AT PAVEMENT/OBSTRUCTION SECTION

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ
DESIGNED BY: ----
CHECKED BY : R. JOHNSON
ENGINEER OF RECORD (MSE STRUCTURE ONLY):
---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN

SHEET 4 OF ----

Plotted on: June 11, 2020
K:\CAD\DETAILS\WWF\WWF STANDARD DETAILS.DWG



PARTIAL PLAN VIEW

NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING UNIT DETAIL FOR FACING MATERIALS AND DIMENSIONS.MATERIALS SUCH AS BIAXIAL GEOGRID OR EROSION CONTROL MATTING NOT SHOWN FOR CLARITY.
2. INSTALL ADJACENT WWF FACING UNITS TO PROVIDE 4" OVERLAP OF HORIZONTAL WIRES.
3. GEOGRID GAPS DENOTED BY 'X' SHALL BE CENTERED OVER THE CENTERLINE OF A GEOGRID ROLL WIDTH IN THE LAYER BELOW.
4. WHEN WALL LAYOUT INCLUDES A CORNER/TURN , FULL GEOGRID COVERAGE IS REQUIRED. REFER TO ELEVATION VIEW FOR LIMITS OF FULL GEOGRID COVERAGE.

PERCENT COVERAGE	X
100	0"
74	18"
56	40"



PARTIAL ISOMETRIC VIEW OF ROW A
(ROW B SIMILAR)



PARTIAL FRONT FACE VIEW

TYPICAL WELDED WIRE FORM (GEOGRID COVERAGE DETAIL)

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ
DESIGNED BY: ----
CHECKED BY : R. JOHNSON
ENGINEER OF RECORD (MSE STRUCTURE ONLY):
---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN

SHEET 5 OF ----

Plotted on: June 11, 2020
K:\CAD\DETAILS\WWF\WWF STANDARD DETAILS.DWG



NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. OFFSET AS NEEDED TO ACHIEVE OVERALL BATTER AS SHOWN IN THE CROSS-SECTIONS.
3. SET TOPMOST WWF FACING UNIT INSIDE WWF FACING UNIT BELOW TO FOLLOW GRADE.
4. HOIZONTAL WIRES OF TOPMOST WWF FACING UNIT MAY BE CUT TO ALLOW INSTALLATION OVER STRUTS OF WWF FACING UNIT BELOW.

NESTED BASKET DETAIL (OFFSET)

NOT TO SCALE



ISOMETRIC VIEW - NESTED BASKET AT TOP OF MSE STRUCTURE DETAIL (OFFSET)

NOT TO SCALE



NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING DETAIL AND WWF OUTSIDE CORNER UNIT DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. BEND BASKET 90° PER OUTSIDE CORNER UNIT DETAIL AT STEPS TO ENSURE REINFORCED FILL IS CONTAINED.

TOP OF MSE STRUCTURE FINISHING DETAIL (OFFSET)

NOT TO SCALE



NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. SET TOPMOST WWF FACING UNIT INSIDE WWF FACING UNIT BELOW TO FOLLOW GRADE.
3. HORIZONTAL WIRES OF TOPMOST WWF FACING UNIT MAY BE CUT TO ALLOW INSTALLATION OVER STRUTS OF WWF FACING UNIT BELOW.

NESTED BASKET DETAIL (NO OFFSET)

NOT TO SCALE



ISOMETRIC VIEW - NESTED BASKET AT TOP OF MSE STRUCTURE DETAIL (NO OFFSET)

NOT TO SCALE



NOTES:

1. SEE WELDED WIRE FORM (WWF) FACING DETAIL AND WWF OUTSIDE CORNER UNIT DETAIL FOR FACING MATERIALS AND DIMENSIONS.
2. BEND BASKET 90° PER OUTSIDE CORNER UNIT DETAIL AT STEPS TO ENSURE REINFORCED FILL IS CONTAINED.

TOP OF MSE STRUCTURE FINISHING DETAIL (NO OFFSET)

NOT TO SCALE

Tensar.
Tensar International Corporation
2500 Northwinds Parkway | Suite 500
Alpharetta, Georgia 30009 | 770-344-2090

PROJECT NAME AND LOCATION

TIC STANDARD DETAILS

----, ----

OWNER

OWNER PROJECT No. ----

CLIENT

TIC PROJECT No. ----

DRAWN BY: O. MARTINEZ

DESIGNED BY: ----

CHECKED BY : R. JOHNSON

ENGINEER OF RECORD (MSE STRUCTURE ONLY):

---- ----

NO.	DATE	DESCRIPTION	BY
0	06/11/20	ISSUED FOR REVIEW	RJ

REVISION / ISSUE

SHEET TITLE

WWF STANDARD DETAILS

SCALE: AS SHOWN

SHEET 6 OF ----

Plotted on: June 11, 2020
K:\CAD\DETAILS\WWF\WWF STANDARD DETAILS.DWG

ASP Enterprises | Bowman Construction Supply Inc. | Quick Supply Co. | Cascade Geosynthetics

DISTRIBUTED BY:

ASP Enterprises, Quick Supply Co., Bowman Construction Supply & Cascade Geosynthetics are sister companies that serve customers from the Midwest, across the Rocky Mountains to the Pacific Northwest. Together we supply customers with a variety of environmental construction materials including erosion and sediment control, geosynthetics, stormwater management, drainage products, hardscapes and outdoor living, revegetation and soil amendments, waterproofing solutions and more.



We are full line distributors of environmental construction materials for all project types. Contact us for assistance with a project or a quote on products. From specification recommendations and project development to installation and completion, we're here to help with all of your site solution needs. Our warehouses are stocked with readily available inventory and we offer same and next-day deliveries.

ASP ENTERPRISES

aspent.com
salesasp@aspent.com

ST. LOUIS
1099 Cassens Industrial Ct.
St. Louis, MO 63026
636-343-4357

KANSAS CITY
5301 E 59th St.
Kansas City, MO 64130
816-554-1191

OMAHA
15263 Cooper St.
Omaha, NE 68138
402-861-8579

WICHITA
316-393-1554

WENTZVILLE
1906 E Service Rd. HWY 61 N
Wentzville, MO 63385
636-445-9090

QUICK SUPPLY CO.

quicksupplyco.com
salesquick@quicksupplyco.com

DES MOINES
6620 NW Toni Dr.
Des Moines, IA 50313
515-289-1271

BOWMAN CONSTRUCTION SUPPLY

bowmanconstructionsupply.com
salesbcs@bowmanconstructionsupply.com

DENVER
10801 E. 54th Ave.
Denver, CO 80239
303-696-8960

COLORADO SPRINGS
2445 Wayside Ct.
Colorado Springs, CO 80915
719-257-7840

LOVELAND
4495 Woods Ave.
Loveland, CO 80538
970-535-0863

CASCADE GEOSYNTHETICS

cascadegeos.com
salescascade@cascadegeos.com

PORTLAND
3610 N. Suttle Rd. Bldg B
Portland, OR 97217
971-339-1020

SALT LAKE CITY
425 N. Neil Armstrong Rd.
Salt Lake City, UT 84116
435-276-0820

GEOSYNTHETICS | EROSION CONTROL | STORMWATER MANAGEMENT
REVEGETATION & SOIL AMENDMENTS | SEDIMENT CONTROL | HARDSCAPES